


Aquagym Max™

For models released from November, 2023

Technical Information Pack



Interactive tech sheet

This interactive tech sheet contains clickable links and QR codes that provide instant access to specific information related to Vortex™ Spas or Swim Spas.

Simply click or scan these QR codes to dive deeper into the features, maintenance tips, and expert advice tailored just for you.

When you see these icons, you can click or scan:

Click on QR code



or

Scan QR code



We hope you find the information helpful. Please get in touch if you have any questions about any Vortex™ Spas product. We are here to help!

From the Vortex™ Spas Team.

Aquagym Max™



JETS

Up to 81



WATER CAPACITY Up to 7,750 litres



SEATING

Up to 6 seats



DIMENSIONS 4.46 x 2.30 x 1.3/1.5m



The image shows Vortex Aquagym Max™ swim spa on Gypsum colour shell and Coastal Grey cabinet.

FEATURES

Build

- Heavy-duty heat-dipped galvanised, timber-free frame with a Lifetime Warranty
- Superior USA-made Aristech™ acrylic for added peace of mind
- Thermobond™ 4-Layer shell construction for superior durability
- Nine colours combinations to suit your preferences
- Duraflex™ 'No kink' PVC plumbing ensures no plumbing worries
- Thermoclad™ Maintenance-free cabinet
- ThermoLock™ Dual layer insulation to reduce energy consumption
- ThermoLock™ High Impact moulded ABS base
- Hydroflow™ Stainless steel bearing-less jets for long life
- Dual Filter Banks for balanced swim conditions

Control

- SpaNet™ Premium control systems with dynamic thermal tuning for energy savings
- Premium SpaNet™ Touchpad for ease of use

Lighting

- Hydroglow™ Underwater LED floodlight
- Hydroglow™ LED backlit water cascade to set the scene
- Hydroglow™ Programmable lighting for full control
- Hydroglow™ Jet & topside control lighting
- Hydroglow™ Perimeter & cabinet lighting
- Hydroglow™ Backlit drink holders
- Hydroglow™ Backlit laminar jets

Water Care

- Twin Purezone™ Filter banks for maximum filtration
- Purezone™ AOS System with UV and ozone automatic water care

Hydrotherapy

- Neck Therapy Collar™ to melt away back and shoulder tension
- Hydrotherapy lounger for superior post-training relaxation
- Individual seat pressure controls for a tailored hydrotherapy experience
- Adjustable spa jets for customised massages

Optional Extras

- Vortex™ Audio WiFi Kit—Control your spa and enjoy your favourite music or podcasts
- SmartLINK™ WiFi Module—Remotely monitor and control your spa
- SpaNet™ SV Series heat pump—Save up to 75% on spa heating costs in winter and cool your spa in summer
- ClearLift™ Automatic cover

WARRANTIES

Frame.....	Lifetime
Shell structure.....	10 yrs
Acrylic surface.....	5 yrs
Jets, plumbing & heater	5 yrs
Pumps & equipment.....	5 yrs

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Aquagym Max™

Height Comparison




Illustration shows Aquagym Max XD™ 1.5m swim spa model

		Aquagym Max™	Aquagym Max XD™
Model dimensions		4.46(L) x 2.30(W)m	4.46(L) x 2.30(W)m
A	Total height +-20mm	1.3m	1.5m
B	Product height under lip +-20mm	1,200mm	1,398mm
C	Height to bottom of health light +-25mm	995mm	1,192mm
D	Water depth from floor to recommended fill level	1,095mm	1,280mm

Aquagym Max™

Jet Specifications

Dimensions: 4.46 x 2.30 x 1.3m




Illustration shows our most popular swim spa Aquagym Max Pro+™ model.

 140mm Single Roto Jets

 140mm Directional Jet

 100mm Directional Jets

 50mm Air Jets


 63mm Directional Jets

 63mm Roto Jets


 100mm Single Roto Jets

 Laminar Jets


Aquagym Max Extreme™




Aquagym Max Pro+™



Aquagym Max Pro™



Aquagym Max Plunge™



 127mm Square Swim Jets

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Aquagym Max™

Specifications Table (Non-ClearLift™ models)

		Plunge™	Pro™	Pro Plus™	Extreme™
Water capacity					
Aquagym Max™	1.3m	6,356L	6,356L	6,356L	6,356L
Aquagym Max XD™	1.5m	7,075L	7,075L	7,075L	7,075L
Dry weight (Note: For ClearLift™ models see next page.)					
Aquagym Max™	1.3m	900kg	958kg	1,105kg	1,150kg
Aquagym Max XD™	1.5m	1,050kg	1,135kg	1,185kg	1,215kg
Filled weight (incl cover) (Note: For ClearLift™ models see next page.)					
Aquagym Max™	1.3m	7,295kg	7,353kg	7,500kg	7,545kg
Aquagym Max XD™	1.5m	8,164kg	8,249kg	8,299kg	8,329kg
Lift weight** (Note: For ClearLift™ models see next page.)					
Aquagym Max™	1.3m	1,151**	1,221kg**	1,397kg**	1,451kg**
Aquagym Max XD™	1.5m	1,331kg**	1,434kg**	1,494kg**	1,530kg**
Intuitive spa controller		SV3	SV3	SV3	SV4
Power cable length		Hardwired by a licensed electrician	Hardwired by a licensed electrician	Hardwired by a licensed electrician	Hardwired by a licensed electrician
Programmable circulation pump		1	1	1	1
Jet pumps		1	2	3	4
Variable speed air blower		1	1	1	1
Variable output heater		5.25kW	5.25kW	5.25kW	5.25kW
Recommended electrical supply		32 amps	32 amps	32 amps	40 amps

** The specified lift weights in the table above include the spa's dry weight, packaging, hard cover and water, but not the pallet weight. These are approximate weights and are intended as a guide only. All weights must be checked by the crane operator prior to the lift. (Cranes have the ability to check the weight)

*** The cable length is measured from the spa control box to the plug. For instance, if you prefer to exit the cable from the rear of a 2m spa (on the side opposite the control box), the length of the cable outside the spa will be only 3m (subtracting the 2m from the control box to the rear of the spa from the total cable length of 5m).

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Aquagym Max™

Specifications Table (ClearLift™ models)

		Plunge™	Pro™	Pro Plus™	Extreme™
Water capacity					
Aquagym Max™	1.3m	6,356L	6,356L	6,356L	6,356L
Aquagym Max XD™	1.5m	7,075L	7,075L	7,075L	7,075L
Dry weight (Note: For Non-ClearLift™ models see previous page.)					
Aquagym Max™	1.3m	1,041kg	1,099kg	1,246kg	1,291kg
Aquagym Max XD™	1.5m	1,191kg	1,276kg	1,326kg	1,356kg
Filled weight (incl cover) (Note: For Non-ClearLift™ models see previous page.)					
Aquagym Max™	1.3m	7,416kg	7,474kg	7,621kg	7,666kg
Aquagym Max XD™	1.5m	8,285kg	8,370kg	8,420kg	8,450kg
Lift weight** (Note: For Non-ClearLift™ models see previous page.)					
Aquagym Max™	1.3m	1,272**	1,342kg**	1,518kg**	1,572kg**
Aquagym Max XD™	1.5m	1,452kg**	1,555kg**	1,615kg**	1,651kg**
Intuitive spa controller		SV3	SV3	SV3	SV4
Power cable length		Hardwired by a licensed electrician	Hardwired by a licensed electrician	Hardwired by a licensed electrician	Hardwired by a licensed electrician
Programmable circulation pump		1	1	1	1
Jet pumps		1	2	3	4
Variable speed air blower		1	1	1	1
Variable output heater		5.25kW	5.25kW	5.25kW	5.25kW
Recommended electrical supply		32 amps	32 amps	32 amps	40 amps

** The specified lift weights in the table above include the spa's dry weight, packaging, hard cover and water, but not the pallet weight. These are approximate weights and are intended as a guide only. All weights must be checked by the crane operator prior to the lift. (Cranes have the ability to check the weight)


*** The cable length is measured from the spa control box to the plug. For instance, if you prefer to exit the cable from the rear of a 2m spa (on the side opposite the control box), the length of the cable outside the spa will be only 3m (subtracting the 2m from the control box to the rear of the spa from the total cable length of 5m).

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Aquagym Max Plunge™

Equipment Location

	Equipment Bay
	Keypad
	Conduit Access*
	Drain Valve
	Circulation Pump
	Jet Pump
	Speaker holders
	Swimming Tether pole socket



* Conduit should not stick above the concrete slab more than 100mm.


** Optional upgrade only included with the Vortex™ WiFi and Audio Kit.

Note: This model has a rigid base, and if you choose to bring the piping conduit in from the bottom through the base, you will need to cut a hole into the base on-site before installation. The factory does not provide this hole. Please see the diagram above to find the location where you can drill the hole.

Aquagym Max Pro™

Equipment Location

	Equipment Bay
	Keypad
	Conduit Access*
	Drain Valve
	Circulation Pump
	Jet Pump
	Speaker holders
	Swimming Tether pole socket



* Conduit should not stick above the concrete slab more than 100mm.


** Optional upgrade only included with the Vortex™ WiFi and Audio Kit.

Note: This model has a rigid base, and if you choose to bring the piping conduit in from the bottom through the base, you will need to cut a hole into the base on-site before installation. The factory does not provide this hole. Please see the diagram above to find the location where you can drill the hole.

Aquagym Max Pro+™

Equipment Location

	Equipment Bay
	Keypad
	Conduit Access*
	Drain Valve
	Circulation Pump
	Jet Pump
	Speaker holders
	Swimming Tether pole socket



* Conduit should not stick above the concrete slab more than 100mm.


** Optional upgrade only included with the Vortex™ WiFi and Audio Kit.

Note: This model has a rigid base, and if you choose to bring the piping conduit in from the bottom through the base, you will need to cut a hole into the base on-site before installation. The factory does not provide this hole. Please see the diagram above to find the location where you can drill the hole.

Aquagym Max Extreme™

Equipment Location

	Equipment Bay
	Keypad
	Conduit Access*
	Drain Valve
	Circulation Pump
	Jet Pump
	Speaker holders
	Swimming Tether pole socket



* Conduit should not stick above the concrete slab more than 100mm.

** Optional upgrade only included with the Vortex™ WiFi and Audio Kit.

Note: This model has a rigid base, and if you choose to bring the piping conduit in from the bottom through the base, you will need to cut a hole into the base on-site before installation. The factory does not provide this hole. Please see the diagram above to find the location where you can drill the hole.


Standard Spa Cover




Aquagym Max™

Optional ClearLift™ Cover

Left-mounted opening




Right-mounted opening



If the ClearLift™ control panel is positioned on the right side of the swim spa, and the ClearLift™ cover folds to the left, it is considered a **Left-Mounted ClearLift™**.

Conversely, if the ClearLift™ control panel is located on the left side of the swim spa, and the ClearLift™ cover folds to the right, it is referred to as a **Right-Mounted ClearLift™**.





*The illustration shows **Right-mounted opening**, side angle view.

Note: The ClearLift™ control panel is installed at the same end as the swim spa controller keypad.

Aquagym Max™

Optional ClearLift™ Cover opening allowance



Left mount, side view shown in Vortex™ swim spas 1,300mm height.



Aquagym Max XD™

Optional ClearLift™ Cover opening allowance

Left mount, side view shown in Vortex™ swim spas 1,500mm height.



Aquagym Max™

Planning for your Spa Delivery

What to know when planning for delivery and installation. Please visit the Spa World website for planning information including:

- Property access
- Electrical information
- Service access
- Foundations, including generic slab
- Pit and deck installation
- Optional heat pump installation,

To access these information and more:

Click on QR code




or

Scan QR code



Planning for your spa delivery
Pre-Delivery Guide for Spa Owners 2024



Aquagym Max™

Vortex Spas™ Plumbing Certificates

To access each of our Vortex Aquagym Max™ models' Plumbing certificates, please click or scan the QR code associated with each model.

Click on QR code



Scan QR code



**Vortex Aquagym Max™
Plunge
Plumbing Certificate**



**Vortex Aquagym Max™
Extreme
Plumbing Certificate**



**Vortex Aquagym Max™ Pro
Plumbing Certificate**



**Vortex Aquagym Max™ Pro+
Plumbing Certificate**



Aquagym Max™

Vortex Spas™ Structural Certificates

To access each of our Vortex Aquagym Max™ models' Structural certificates, please click or scan the QR code associated with each model.

Click on QR code



Vortex™ Swim Spas
Generic Concrete Slab
Certificate



Scan QR code



Vortex Aquagym Max™
Structural Certificate



Vortex Aquagym Max XD™
Structural Certificate



Vortex Spas™ Limited Warranty

To access the Vortex Spas™ Limited Warranty:

Click on QR code



Scan QR code



**Vortex Spas™ 2024
Limited Warranty**



**Vortex Spas™ Pre-2024
Limited Warranty**




Vortex Spas™ Owner's Manuals

To access more information about Vortex™ spa:

Click on QR code




**Vortex Spas™
Owner's Manual**




Scan QR code




**Vortex Spas™
Audio WiFi Manual**



**ClearLift™ Cover
Manual**





VortexTM
Spas