



Interactive tech sheet

This interactive tech sheet contains clickable links and QR codes that provide instant access to specific information related to Fisher™ Spas or Swim Spas.

Simply click or scan these QR codes to dive deeper into the features, maintenance tips, and expert advice tailored just for you.

When you see these icons, you can click or scan:

Click on QR code



Scan QR code



We hope you find the information helpful. Please get in touch if you have any questions about any Fisher™ Spas product. We are here to help!

From the Fisher $^{\mathsf{TM}}$ Spas Team.





Fisher Orbit^{**}



JETS

25



SEATING

5 seats



DIMENSIONS

2.15ø x 0.92m

SPECIFICATIONS

Dry weight	265 kg
Water capacity	.1,191 litres
Filled weight	1,473 kg
SmartFlo™ jet pump(s)	2.5hp
SmartFlo™ circulation pump	1
SmartFlo™ air blower	1
Electrical requirements	15 Amp*

^{*} Check with electrician about dedicated circuit requirements

FEATURES

- FisherFrame™ 304 Stainless steel Permaframe construction, timber-free and Lifetime Warranty
- DuraClad™ long life cabinet
- FisherBase™ high impact moulded ABS base
- HeatSeal™ perimeter insulation
- HeatSeal™ base insulation
- QuadCore™ shell construction
- UV automatic water steriliser
- Ozone automatic water clarifier
- SpaNet SV Mini2™ control system
- FisherFlex™ plumbing system
- Stainless steel jets
- ullet FisherGlow $^{ extsf{TM}}$ in-spa illumination
- FisherGlow™ LED perimeter lighting
- Intelligent Thermal Tuning™
- Integrated heat pump control

OPTIONAL UPGRADES

- SpaNet™ EcoCube™ heat pump
- Fisher™ Audio & WiFi system

WARRANTIES

FisherFrame™	Lifetime
Non-Pro-rata Structural	10yrs
Non-Pro-rata Acrylic Surface	5yrs
Plumbing, Heater & Jets	5yrs
Pumps & Equipment	2yrs


 $[\]star\star$ Conditions apply. Specifications may change without notice. May be pictured with some options included.











		Fisher Orbit™
	Model dimensions	2.15øm
Α	Total height	0.92m
В	Recommended deck height. From top shell. No lower than	400mm
С	Product height under lip +-20mm	812mm





Specifications table

Water capacity	1,191L
Dry weight	265kg
Filled weight (including cover)	1,473kg
Lift weight**	343kg
Intuitive spa controller	SVM2
Programmable circulation pump	1
Jet pumps	1
Variable speed air blower	1
Variable output heater	3.0kW
Recommended electrical supply	15Amps

^{*} Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.





^{**} The specified lift weights in the table above include the spa's dry weight, packaging, hard cover and water, but not the pallet weight. These are approximate weights and are intended as a guide only. All weights must be checked by the crane operator prior to the lift. (Cranes have the ability to check the weight)




Illustration shows $Orbit^{TM}$ spa pool model



2 x Air Controls



7 x 89mm Directional Jets

8 x 89mm Roto Jets



10 x Air Jets

3 x Speakers








Equipment Location





Standard Spa Cover





To access the Fisher™ Portable Spas Generic Concrete Slab Certificate/ Plumbing Certificate/ Structural Certificate, please click or scan the QR code bellow.

Click on QR code



Fisher™ Portable Spas Generic Concrete Slab Certificate



Fisher Orbit™ Plumbing Certificate



Scan QR code



Fisher Orbit™ Structural Certificate







Owner's Manuals/ Warranty

To access the Fisher™ Spas Owner's Manual / EcoCube™ Heat Pump Installation and User Manual / Fisher™ Spas Warranty, please click or scan the QR codes bellow.

Click on QR code



Fisher™ Spas Owner's Manual



SpaNet™ SV Series Heat Pump Installation and Instruction Manual



Scan QR code



Fisher™ Spas Audio WiFi kit



Fisher™ Spas Warranty









